



**ELEVATORS AND**

**CHAIN CONVEYORS**



**WIDE RANGE 30-600T**

# ELEVATORS AND CHAIN CONVEYORS

## RELIABLE COMPLETE SOLUTION

The versatile range of Mepu conveyors has been developed for meeting the various capacity and automation requirements of the customers. Together with other Mepu products, our high-quality elevators and chain conveyors form a functional and reliable complete solution ensuring maximum conveyance efficiency. All conveyor products are made of galvanized steel, which means that they are also ideally suited for outdoor use.



### L SERIE 30 - 60T

L series is particularly suitable for small and medium-sized farms where grain processing mainly takes place during the harvesting period (annual amount of grain processed under 30 000t).



### I SERIE 40 - 150T

I series is intended for medium-sized and large farms, drying plants and commercial grain storage facilities where grain is handled on year-round basis (annual amount of grain processed 30 000 – 50 000t).



### H SERIE 60 - 600T

H series is intended for large farms and industrial applications, continuous daily and year-round use (annual amount of grain processed over 50 000t).

The Mepu range includes elevators and chain conveyors for small and medium-sized farms, as well as for large farms and industrial facilities.

## MEPU ELEVATORS 60 - 90T

Elevators made of galvanized steel convey the grain fast and reliably without damaging it. Elevator structure is self-supporting. There are open belt pulleys in the head and bottom. Direct-drive gear motor is reliable in all conditions and almost maintenance-free. Design of the bottom allows maximum filling for the buckets – even with wet grain.

Elevator is easy to clean through large hatches. As an option, pre-cleaner attached to top part keeps working area dust-free while conveying the grain.

Adjustable crop guide prevents grain to access back to elevator pipe. Structure enhances significantly grain's flow, and grain can be stored in the intake pit longer than usually.



### OPTIONS

- Pre-cleaner
- Motored 3-way divider
- Motored shutter
- Inlet 2 x Ø200
- Service platform
- Supports

Model	MEPU60	MEPU90
Capacity [t / h]	68	118
Motor [kW]	4	7.5
Belt width [mm]	140	170
Cup amount [pcs / m]	7	6
Cup size [mm]	140	200
Elevator pipe [Ø mm]	210	280
3-way divider [Ø mm]	160	200

**CONTACT US!**

**[www.mepu.com](http://www.mepu.com)**



Mepu Oy reserves the right to make changes in the range, i.e. to the model, colour, equipment and price changes to the products it supplies, without any prior notification. The standard delivery contents of products may vary between different market areas. The photos in this brochure and in other publications may display equipment that are not included in the standard delivery. The performance values and technical specifications are intended as a guide. Check the delivery contents of the product with your Mepu reseller.



**MEPU Oy**

Mynämäentie 59, 21900 Yläne, Finland  
tel. +358 2 275 4444, [mepu@mepu.com](mailto:mepu@mepu.com)

