



# GRAIN SORTER



## EFFICIENT GRAIN SORTING AND PRE-CLEANING

# GRAIN SORTER


The affordable and efficient sorter Major 2000 by Mepu is equipped with a rotary screening drum ensuring uniform sorting results. Owing to its carefully designed structure, the sorter is small in size but large in capacity. The quiet, efficient and reliable Mepu sorter is easy to install and to use. For example, the unit can be installed to the upper part of a complex dryer. Owing to its carefully designed structure, the machine does not vibrate or require constant supervision. The need for maintenance is modest as well.


### PRE-CLEANER AS STANDARD EQUIPMENT

The sorter's standard equipment includes a separate pre-cleaner based on the rising air principle. The pre-cleaner separates dust and other impurities from grain, peas, and rapeseed with equal efficiency. The speed and inclination angle of screening drums available in several screen hole sizes can be adjusted steplessly while the machine is in operation.

**SCREENING  
DRUMS AVAILABLE  
IN A VARIETY OF  
HOLE SIZE!**

Model	Major 2000
Width A [cm]	768
Length B [cm]	2 335
Height C [cm]	2 271
Weight [kg]	200





Outer sieve	Inner sieve	Oats	Barley	Wheat	Rye	Rapeseed	Pea	Broad bean
2 x 20	Ø8	SG	PR	-	-	-	-	-
2 x 20	Ø10	SG	-	-	-	-	-	-
2 x 20	4 x 15	-	PR	-	-	-	-	-
2 x 20	5 x 30	PR	-	-	-	-	-	-
2,3 x 20	Ø8	SG	SG	SG	SG	-	-	-
2,3 x 20	Ø10	SG	SG	SG	SG	-	-	-
2,3 x 20	4 x 15	SG	SG	SG	-	-	-	-
2,5 x 20	Ø8	-	MB/SG	SG	-	-	-	-
2,5 x 20	Ø10	-	MB/SG	SG	-	-	-	-
2,5 x 20	4 x 15	-	MB/SG	SG	-	-	-	-
2,7 x 20	Ø8	-	MB/SG	-	-	-	-	-
2,7 x 20	Ø10	-	MB/SG	-	-	-	-	-
5 x 30	Ø10	-	-	-	-	-	PR/SG	-
5 x 30	Ø12	-	-	-	-	-	PR/SG	-
5 x 30	Ø15	-	-	-	-	-	-	PR/SG
Ø3	Ø6	-	-	-	-	PR	-	-
Ø3	4 x 15	-	-	-	-	PR	-	-
3,2 x 20	Ø8 / Ø10	Separation of ergot or spelt PR/SG						
3,4 x 20	Ø8 / Ø10	Separation of ergot or spelt PR/SG						

SG, Seed grading

PR, Preparation

MB, Malting barley

**CONTACT US!**

**[www.mepu.com](http://www.mepu.com)**



Mepu Oy reserves the right to make changes in the range, i.e. to the model, colour, equipment and price changes to the products it supplies, without any prior notification. The standard delivery contents of products may vary between different market areas. The photos in this brochure and in other publications may display equipment that are not included in the standard delivery. The performance values and technical specifications are intended as a guide. Check the delivery contents of the product with your Mepu reseller.



**MEPU Oy**

Mynämäentie 59, 21900 Yläne, Finland  
tel. +358 2 275 4444, [mepu@mepu.com](mailto:mepu@mepu.com)

