



DUST CONTROL



COST-EFFECTIVE

DUST EXHAUST SYSTEM

New Mepu Taifun dust exhaust systems removes over 90 percent of grain dust and chaff! Dust emissions are considerably lower compared to a conventional fan without dust removal technology. Impurities can be collected into a trailer, dust container, etc.

Our systems are cost-effective and make the dryer more fire proof. Having less dust and chaff around increases your work comfort considerably.




TAIFUN DUST EXHAUST FANS

- 22kW (30HP)
- Horizontal or vertical model
- Integrated centrifugal fan
- The fan shutter makes it easy to adjust the air flow
- Blow chamber inspection door
- Specially designed mesh ensures optimized flow and low noise levels

STORM DUST COLLECTORS

- 7,5kW (9,4HP) / 5,5kW (6,7HP) / 2,2 kW (3HP)
- Horizontal or vertical model
- Attached to dryer's axial fan
- No additional motor power required
- Galvanized material



READY-TO-USE

DUST CONTAINER

It's easy to deal with dust coming from pre-cleaner and sorter with Mepu's Einari dust container. Container is made of galvanized steel. Front loader adapter available as option.



| Model | Einari-6 |
|-------------|----------|
| Width [cm] | 233 |
| Length [cm] | 195 |
| Height [cm] | 280 |
| Volume [m³] | 6 |

- Large discharge hatch
- Control glass
- Manhole on the roof
- 250mm spigot for trash pipe, outlet air pipe 160mm

EASY SEPARATION OF IMPURITIES

SEED CLEANER

Seed Cleaner separates damaged grain, weed seeds and other impurities from the grain. These are particles which normal pre-cleaner is not able to remove. Clever design allows mounting in almost any dryer – also for other brands! Seed Cleaner has a sample hatch and spreading plate as standard. Standard sieves: solid, 2mm and 2,5mm.

**OTHER SIEVE
SIZES ALSO
AVAILABLE!**



CONTACT US!

www.mepu.com



Mepu Oy reserves the right to make changes in the range, i.e. to the model, colour, equipment and price changes to the products it supplies, without any prior notification. The standard delivery contents of products may vary between different market areas. The photos in this brochure and in other publications may display equipment that are not included in the standard delivery. The performance values and technical specifications are intended as a guide. Check the delivery contents of the product with your Mepu reseller.



MEPU Oy

Mynämäentie 59, 21900 Yläne, Finland
tel. +358 2 275 4444, mepu@mepu.com

